

JUICE + OCTANE BOOSTER

MATERIAL SAFETY DATA SHEET

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade Name	Juice +
Synonyms	Octane Booster
Product Code	5027

1.2 Relevant identified uses of the substance or mixture and uses advised against

Uses	Fuel additives
------	----------------

1.3 Details of the supplier of the safety data sheet

Supplier	Fast Fuels 365 Pty Ltd
Address	2 Hillclimb Rd , Westmead , Durban, South Africa ,3610
Telephone number	+27 31 787 0061
E-mail address	info@fastfuels.co.za

1.4 Emergency telephone number

+27 83 93 83 777

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification	China. SAWS GHS classification list (SAWS No. 2015-80, August 19, 2015).	
	Flammable liquids	Category 2
	Acute oral toxicity	Category 3
	Acute inhalation toxicity	Category 3
	Acute dermal toxicity	Category 3
	Specific target organ toxicity - single exposure	Category 1

2.2 Label elements

China. SAWS GHS classification list (SAWS No. 2015-80, August 19, 2015).

Pictogram



Signal word Danger

Hazard statements

H225: Highly flammable liquid and vapour.
H301: Toxic if swallowed.
H331: Toxic if inhaled.
H311: Toxic in contact with skin.
H370: May cause dizziness.

Precautionary statements

Prevention	<p>P210: Keep away from open flames/hot surfaces. - No smoking. P241: Use explosion-proof electrical/ ventilating/ lighting equipment. P243: Take precautionary measures against static discharge. P260: Do not breathe vapours. P280: Wear protective gloves/ protective clothing/ eye protection/ face protection. P270: Do not eat, drink or smoke when using this product. P271: Use only outdoors or in a well-ventilated area. P264: Wash hands thoroughly after handling. P284: In case of inadequate ventilation wear respiratory protection.</p>
Response	<p>P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P370 + P378: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P330: Rinse mouth. P302 + P352: IF ON SKIN: Wash with plenty of soap and water. P312: Call a POISON CENTER or doctor/ physician if you feel unwell. P361: Remove/Take off immediately all contaminated clothing. P363: Wash contaminated clothing before reuse. P304 + P340 + P311: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor. P307 + P311: IF exposed: Call a POISON CENTER or doctor/ physician.</p>
Storage	<p>P403 + P233 + P235: Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405: Store locked up.</p>
Disposal	<p>P501: Dispose of contents/ container to an approved waste disposal plant.</p>
Other hazards	<p>No data available.</p>

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 3: FIRST AID MEASURES

3.1 Description of first aid measures

Inhalation	Move to fresh air in case of accidental inhalation of vapours. If breathing is irregular or stopped, administer artificial respiration. Monitor breathing, get medical attention immediately.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. If eye irritation persists, consult a specialist.
Ingestion	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

3.2 Most important symptoms and effects, both acute and delayed

SECTION 4: FIREFIGHTING MEASURES

4.1 Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam. Dry chemical. Water spray.

4.2 Special hazards arising from the substance or mixture Flash back possible over considerable distance. Do not allow run-off from fire fighting to enter drains or water courses.

4.3 Advice for firefighters In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 5: ACCIDENTAL RELEASE MEASURES

5.1 Personal precautions, protective equipment & emergency procedures Keep people away from and upwind of spill/leak. Remove all sources of ignition. Do not breathe vapours or spray mist.

5.2 Environmental Precautions Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

5.3 Methods & material for containment and cleaning up Soak up with inert absorbent material and dispose of as hazardous waste.

5.4 Reference to other sections Refer to Section 8 and 13

SECTION 6: HANDLING AND STORAGE

6.1 Precautions for safe handling Do not breathe vapours or spray mist. Wear personal protective equipment.

6.2 Advice on protection against fire & explosion Keep away from open flames, hot surfaces and sources of ignition. Use explosion-proof equipment.

6.3 Requirements for Storage areas and containers Keep containers tightly closed in a cool, well-ventilated place.

6.4 Advice on Common storage No data available.

6.5 Specific end use(s) No data available.

SECTION 7: EXPOSURE CONTROLS / PERSONAL PROTECTION

ETHANOL / MMT / LUBRICANT

7.1 Information on basic physical and chemical properties

State of matter	Liquid; at 20 °C; 1,013 hPa
Colour	Fluorescent Yellow
Odour	Alcohol-like
Odour Threshold	No data available
pH	7; Neutral
Melting point/range	-97.8 °C
Boiling point/boiling range	64.7 °C
Flash point	Not applicable
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Auto-ignition temperature	93.89 °C
Lower explosion limit	6 %(V)
Upper explosion limit	36.5 %(V)
Vapour pressure	97.68 hPa; 20 °C
Relative vapour density	1.1
Density	0.8031 g/cm ³ ; 20 °C
Water solubility	Miscible
Partition coefficient:	n-log Pow: -0.8 octanol/water
Viscosity, dynamic	0.61 mPa.s

SECTION 8: STABILITY AND REACTIVITY

8.1 Reactivity	Stable under normal conditions.
8.2 Chemical stability	Stable under normal conditions.
8.3 Possibility of Hazardous reactions	Not known.
8.4 Conditions to avoid	Heat, flames and sparks.
8.5 Materials to avoid	Oxidizing agents. Acids and bases.
8.6 Hazardous decomposition products	Unknown.

SECTION 9: TOXICOLOGICAL INFORMATION

Acute oral toxicity	Methanol: LD50 : > 50 - 300 mg/kg; (literature value)
Acute inhalation toxicity	Methanol: LC50 Rat: vapour; > 2 - 10 mg/l; (literature value)
Acute dermal toxicity	Methanol: LD50 : > 200 - 1,000 mg/kg;
Skin irritation	Methanol: Rabbit: Not irritating; (literature value), Based on available data, the classification criteria are not met.
Eye irritation	Methanol: Rabbit: Slightly irritating (literature value), Based on available data, the classification criteria are not met.
Sensitisation	Methanol: Maximisation Test; Guinea pig: Not sensitizing; OECD Test Guideline 406; (literature value)

SECTION 10: ECOLOGICAL INFORMATION

Toxicity to fish	Methanol: static test; Leuciscus idus; 48 h; LC50; > 100 mg/l; (literature value)
Toxicity to daphnia and other aquatic invertebrates	Methanol: static test; Daphnia magna (Water flea); 24 h; EC50; > 100 mg/l(literature value)
Toxicity to algae	Methanol: static test; Chlorella pyrenoidosa (aglae)Growth rate; 96 h; EC50; > 100 mg/l; OECD Test Guideline 201; (literature value)
Biodegradability	Methanol: aerobic; > 60 %; 5 d; Readily biodegradable.; OECD Guideline 301 D; (literature value)
Mobility in soil	Methanol: Absorption / desorption Koc: 1 Not expected to adsorb on soil. (literature value) Highly mobile in soils
Results of PBT & vPvB assessment	Methanol: Based on available data, the classification criteria are not met
Other adverse effects	Methanol: No data available

SECTION 11: DISPOSAL CONSIDERATIONS

11.1 Product	Dispose of in accordance with local regulations.
--------------	--

SECTION 12: TRANSPORT INFORMATION

ADR	
UN number:	1170
Class:	3, (6.1)
Packaging group:	II; FT1;
Proper shipping name:	ETHANOL

to Annex II of MARPOL Ship Type: 3
73/78 and the IBC Code Pollution Category: Y

SECTION 13: REGULATORY INFORMATION

13.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

USA TSCA Inventory

All chemical constituents are listed in: USA TSCA Inventory (See chapter 3)

Canadian Domestic Substances List (DSL)

All chemical constituents are listed in: Canadian Domestic Substances List (DSL) (See chapter 3)

Australian Inv. of Chem. Substances (AICS)

All chemical constituents are listed in: Australian Inv. of Chem. Substances (AICS) (See chapter 3)

New Zealand Inventory of Chemicals (NZIoC)

All chemical constituents are listed in: New Zealand Inventory of Chemicals (NZIoC) (See chapter 3)

Jap. Inv. of Exist. & New Chemicals (ENCS)

All chemical constituents are listed in: Jap. Inv. of Exist. & New Chemicals (ENCS) (See chapter 3)

Japan. Industrial Safety & Health Law (ISHL)

All chemical constituents are listed in: Japan. Industrial Safety & Health Law (ISHL) (See chapter 3)

Korea. Existing Chemicals Inventory (KECI)

All chemical constituents are listed in: Korea. Existing Chemicals Inventory (KECI) (See chapter 3)

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All chemical constituents are listed in: Philippines Inventory of Chemicals and Chemical Substances (PICCS) (See chapter 3)

China Inv. Existing Chemical Substances (IECSC)

All chemical constituents are listed in: China Inv. Existing Chemical Substances (IECSC) (See chapter 3)

SECTION 14: OTHER INFORMATION

Full text of indicated H phrases mentioned in section 3

Full text of H-Statements

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H370	Causes damage to organs.

DISCLAIMER

The results displayed in this data sheet have been acquired using the latest revision of the methods indicated unless stated otherwise and may not be reproduced (except in full) without the written approval of Fast Racing Fuels. This test report is computer generated so a signature/stamp is not necessary.



Performance

Formulated for specific applications to ensure optimum performance.



Consistency

All our products offer industry leading levels of consistency and repeatability.



Quality

We pride ourselves on offering the highest standard of quality in each of our products.